# ChiliProject - Bug # 640: internal error on journals for deleted custom fields

Status:       Closed       Priority:       Normal         Author:       Gunter Labes       Category:       Journals / History         Created:       2011-10-23       Assignee:       Felx Schäfer         Pupdated:       22.0       Due date:       Remote issue URL:         Affected version:       'UPDATE' (Feix SchÄrter): The journal rendering errors out on trying to show attributes of deleted custom fields, this should be handled gracefully.         When attempting to show certain issues the following backtrace is printed in the log:       -pres-         Processing issues/Controller#show (for 192.188.10.32 at 2011-09-23 12:39.23) [GET]       Parameters: (antion -s-show', 'fu'=-s'424,' controller*=>'issues')         Rendering template=tror (undefined method 'name' for nit:NitClass) on line #2 of appi/versissues/ history.thmi:       1: -<% for journal in pournals %>         2: -<%= render.journal issue, journal, 'edit_permission => redit_issue_notes,       3: add rom permission => add town issue notes %>         4: -<%= call_hock(view_issues/_history_journal_bottom, (journal => journal)) %>       5: -<% end %>         apphelpers/journals, helper.rb.43:n' render_journal_details' apphelpers/journals_history.thmit2:n       ', run_rfmit_app47/view47/issue47_instoy46/thmi_jocal_history_issue_journals_object' appi/views/issues/_history.thmit2:n         '_un_rhmit_app47/views47/issue47_instoy46/thmit_jocal_history_issue_journals_object' appi/views/issues/_history.thmit2:n       ', run_rhmit_app47/views47/issue47_instoy46/thmi_jocals_	,	,			
Created:         2011-09-23         Assigner:         Feix Schäfer           Updated:         2011-10-29         Due dete:         Due dete:           Perrote issue URL:         Affected version:         22.0           Description:         'UPDATE' (Felix Schäfer); The journal rendering errors out on trying to show attributes of deleted custom fields, this should be handled gracefully.           When attempting to show certain issues the following backtrace is printed in the tog:         -           -pre>         Processing issuesController#show (for 192.168.10.32 at 2011-09-23.12:38:23) (GET)           Parameter: (anton ->wint, "int">>vint", "int">>vint", "int", int, "int", "int", int, "int", int", "int", int, "int", int", int, int, int", int", int, int, int, int, int, int, int, int	Status:	Closed	Priority:	Normal	
Updated:         2011-10-29         Due date:           Remote issue URL:         Affected version:         2.2.0           Affected version:         2.2.0           UPDATE* (Felix SchÄefer): The journal rendering errors out on trying to show attributes of deleted custom fields, this should be handled gracefully.           When attempting to show certain issues the following backtrace is printed in the log: <pre>Processing issuesController#show (for 192-168-10.32 at 2011-09-23 12:38:23) [GET]           Parameters: (fraction*=&gt;*show, "ifd"=&gt;'942", "controller*=&gt;'issues')           Rendering issues/show.rhtml           Action/View:TemplateError (undefined method 'name' for nitNIClass) on line #2 of app/views/suese', history.rhtml:           1: -% for journal in journal %&gt;           2: -%= render_journal issue, journal, redit_permission =&gt; redit_issue_notes,           2: -s%= call hock/view issues history journal bottom, { journal =&gt; journal } %&gt;           3: -sell own permission =&gt; redit_issue_notes %&gt;           4: -s%= call hock/view issues history journal bottom, { journal =&gt; journal } %&gt;           5: -s% end %&gt;           apphelpers/journals_helper.rb:47:in 'render_journal_details'           apphelpers/journals_helper.rb:27:in 'render_journal_details'           apphelpers/journals_helper.rb:27:in 'render_journal_details'           apphelpers/journals_helper.rb:27:in 'render_journal_details'           apphelpers/journals_helper.rb:28:in 'render_journa</pre>	Author:	Gunter Labes	Category:	Journals / History	
Remote issue URL:       2.0         Affected version:       'UPDATE' (Felix SchÄ+fer): The journal rendering errors out on trying to show attributes of deleted custom fields, this should be handled gracefully.         When attempting to show certain issues the following backtrace is printed in the log: <pre>vpre&gt;         Processing IssuesController#show (for 192.168.10.32 at 2011-09.23 12.38.23) [GET]         Parameters: (*action "=&gt;"show", 'id"=&gt;"942", 'controller"=&gt;"issues')         Rendering template within layouts/base         Rendering template within layouts/base         Rendering template Within layouts/base         Rendering issues/show.rhtml         ActionView:TemplateError (undefined method 'name' for nil:NiIClass) on line #2 of app/weis/sissue/ history.inthi:         1: &lt;       <k for="" issue,="" journal="" journal,="" permission="" zelit,=""> zelit, issue_notes,         2:           2:           app/helpersjournals_helper.rb.48 in 'render_journal_details'         app/helpersjournals_helper.rb.47 in 'render_journal_details'         app/helpersjournals_helper.rb.47 in 'render_journal_details'         app/helpersjournals_helper.rb.47 in 'render_journal'         app/helpersjournals_helper.rb.47 in 'render_journal'         app/helpersjournals_helper.rb.47 in 'render_journal'         app/helpersjournals_helper.rb.47 in 'render_journal'         app/helpersjournals_helper.rb.47 in 'render_jou</k></pre>	Created:	2011-09-23	Assignee:	Felix Schäfer	
Affected version:       2.2.0         Description:       'UPDATE' (Felix SchÄefer): The journal rendering errors out on trying to show attributes of deleted custom fields, this should be handled gracefully.         When attempting to show certain issues the following backtrace is printed in the log: <pre>//recessing issuesController#show (for 192.168.10.32 at 2011-09-23 12.38.23) [GET]</pre> Parameters: (racion*=>"show", 'Id*=>"942", 'controller*=>"issues')       Rendering issues/show.rhtml       Action/View:TemplateError (undefined method 'name' for nil/NilClass) on line #2 of app/views/issues/_history.rhtml:       1: <% for journal in journals %>       2: <%= render_journal issue, journal, .edit_permission => :edit_issue_notes,       3: .sdi_own_pormission => :edit_own_issue_notes %>       4: <%= call_hook(view_issues_history_journal_bottom, {journal_so_journal})) %>       5: <% end %>       app/reipersjournals_helper.rb:47:in 'render_journal_details'       app/reipersjournals_helper.rb:47:in 'render_journal_details'       apphreipersjournals_helper.rb:42:in 'render_journal_details'       apphreipersjournals_helper.rb:46:in 'render_journal_details'       apphreipersjournals_helper.rb:46:in 'render_journal_details'       apphreipersjournals_helper.rb:46:in 'render_journal_details'       apphreipersjournals_helper.rb:46:in 'render_journal_details'       apphreipersjournals_helper.rb:46:in 'render_journal_details'       apphreipersissues_history.rhtml:1in 'each'       app/views/sissues_history.rhtml:1in 'each'       apprivews/sissues_history.rhtml:1in 'each'       apprivews/sissues_history.rhtml:1in 'each'       apprivews/sissues_history.rhtml:1in 'each'       apprivews/sissues_history.rhtml:1in 'each'       apprivews/s	Updated:	2011-10-29	Due date:		
Description:         'UPDATE' (Felix SchÄ-fe): The journal rendering errors out on trying to show attributes of deleted custom fields, this should be handled gracefully.           When attempting to show certain issues the following backtrace is printed in the log:         :           'upre-         Processing Issues/Controller/#show (for 192.168.10.32 at 2011-09-23 12.38.23) [GET]           Parameters: ("action"=>"show", "id"=>"942", "controller"=>"issues")           Rendering template within layouts/base           Rendering template Within layouts/base           Rendering template Within layouts/base           Rendering template Error (undefined method "name' for nil/NiClass) on line #2 of app/views/issues/_histow.ithm!           1:-<% for journal in journals %>           2:         <% - call hook(view issues history journal_celtals"	Remote issue URL:				
fields, this should be handled gracefully.         When attempting to show certain issues the following backtrace is printed in the log:         cpro>         Processing issuesController#show (for 192.168.10.32 at 2011-09-23 12:38:23) (GET]         Parameters: ("action"=>"show", "id"=>"942", "controller"=>"lissues")         Rendering template within layoutsbase         Rendering template within layoutsbase         Rendering templateError (undefined method 'name' for nil/NilClass) on line #2 of appviews/issues_'history.html:         1: <% for journal in journals %=         2: <%= render_journal issue, journal, edit_permission => adit_issue_notes,         3:	Affected version:	2.2.0			
When attempting to show certain issues the following backtrace is printed in the log: <pre> </pre> Processing IssuesController#show (for 192.168.10.32 at 2011-09-23 12:38:23) (GET) Parameters: ("action"=>"show", "id"=>"942", "controller"=>"lissues") Rendering template Within layouts/base Rendering issues/show.thtml ActionView:TemplateError (undefined method 'name' for nil:NiIClass) on line #2 of app/views/issues/_history.thtml: 1: <% for journal in journals %> 2: <%= render journal issue, journal, 'edit_permission => redit_issue_notes, 3: := redit_pound issue, journal, 'edit_permission => redit_issue_notes, 3: := <di>cell_covp_temission =&gt; :edit_pound_issue_journal_pottom, { journal =&gt; journal })) %&gt; 5: &lt;% end %&gt;  app/helpers/journals_helper.rb/47.in 'collect' app/helpers/journals_helper.rb/47.in 'collect' app/helpers/journals_helper.rb/47.in 'collect' app/views/issues/_history.thtml::in 'app/helpers/journals_helper.rb/47.in 'collect' app/views/issues/_history.thtml:in 'app/helpers/journals_helper.rb/47.in 'collect' app/views/issues/_history.thtml:in 'app/helpers/journals_helper.rb/47.in 'collect' app/views/issues/_history.thtml:in 'app/views/issues/_history.thtml:in 'app/views/issues/_history.thtml:in 'app/views/issues/_history.thtml:in 'app/views/issues/_history.thtml:in 'app/views/issues/_history.thtml:in 'app/views/issues/_history.thtml:in 'app/views/issues_controller.rb:102.in 'show' app/views/issues_controller.rb:102.in 'show' app/views/issues_controller.rb:102.in 'show' /usr/lib/ruby/1.8/phusion_passenger/abtract_request_handler.rb:92.in 'process_request' /usr/lib/ruby/1.8/phusion_passenger/abtract_request_handler.rb:92.in 'mandle_gepart.'usrafic/application'_journal_iapplication_gavener.rb:356.in 'handle_gepart_journal_iapplication'_journal'iapplication_gavener.rb:356.in 'handle_gepart.'usrafib/ruby/1.8/phusion_passenger/rali/application_gavener.rb:356.in 'handle_gepart_journal'iapplication'_journal'iapplication_gavener.rb:356.in 'handle_gepart_journal'iapplication'_journal'iapplication_gavener.r</di>	Description:	*UPDATE* (Felix SchĤfer): The journal rendering errors out on trying to show attributes of deleted custom			
<pre> <pre> <pre> <pre> <pre> Processing tesuesController#show (for 192.168.10.32 at 2011-09-23 12:38:23) (GET) Parameters: ("action"=&gt;"show", "id"=&gt;"942", "controller"=&gt;"issues") Rendering template within layouts/base Rendering issues/show.rhtml ActionView:TemplateErv (indefined method "name" for nil:NilClass) on line #2 of app/views/issues/_history.rhtml: 1: &lt;*k for journal in journals %&gt; 2: &lt;% = render_journal issue, journal, redit_permission =&gt; redit_issue_notes, 3:</pre></pre></pre></pre></pre>		fields, this should be handled gracefully.			
<pre> <pre> <pre> <pre> Processing tesuesController#show (for 192.168.10.32 at 2011-09-2312.38.23) [GET] Parameters: {"action"=&gt;"show", "id"=&gt;"942", "controller"=&gt;"issues") Rendering template within tayouts/base Rendering issues/show.rhtml ActionView:TemplateErv (indefined method "name" for nil:NilClass) on line #2 of app/views/issues/_history.rhtml: 1: &lt;*k tor journal in journals %&gt; 2: &lt;% = render_journal issue, journal, redit_permission =&gt; :edit_issue_notes, 3: :::edit_own_permission =&gt; :edit_own_issue_notes %&gt; 4: &lt;% = call_hok(view_issues_history_journal_bottom, { journal =&gt; journal )) %&gt; 5: &lt;% end %&gt; app/helpers/journals_helper.rb:47.in "ceder' app/icews/issues/_history.rhtml:1:in "ced' app/icews/issues/_history.rhtml:1:in "ced' app/icews/issues/after.rb:47.instory.deftitml_locals_history_issue_journals_object' app/icews/issues/after.rb:47.instory.after.rb:92.in "process_request' /usrilb/ruby/1.8/phusion_passenger/alk/rpication_spawner.rb:358.in "handle_spawn_application" /usrilb/ruby/1.8/phusion_passenger/ralk/application_spawner.rb:358.in "handle_spawn_application" /usrilb/ruby/1.8/phusion_passenger/ralk/application_spawner.rb:358.in "handle_spawn_application" /usril</pre></pre></pre></pre>					
<pre> <pre> <pre> <pre> <pre> Processing tesuesController#show (for 192.168.10.32 at 2011-09-23 12:38:23) (GET) Parameters: ("action"=&gt;"show", "id"=&gt;"942", "controller"=&gt;"issues") Rendering template within layouts/base Rendering issues/show.rhtml ActionView:TemplateErv (indefined method "name" for nil:NilClass) on line #2 of app/views/issues/_history.rhtml: 1: &lt;*k for journal in journals %&gt; 2: &lt;% = render_journal issue, journal, redit_permission =&gt; redit_issue_notes, 3:</pre></pre></pre></pre></pre>					
Processing IssuesController/Ishow (for 192.168.10.32 at 2011-09-23 12:38:23) [GET] Parameters: ("action"=>"show", "d"=>"942", "controller"=>"issues") Rendering template Within Iayouts/base Rendering Issues/show.html ActionView::TemplateError (undefined method 'name' for nil:NilClass) on line #2 of app/views/issues/_history.rhtml: 1: e% for journal in journals %> 2: e%= render_journal issue, journal, tedit_permission => :edit_issue_notes, 3: edit_own_permission => :edit_own_issue_notes %> 4: e%= call_hook(tview_issues_history_journal_bottom, { journal => journal }} %> 5: e% end %> app/helpers/journals_helper.rb.47.in 'each' app/helpers/journals_helper.rb.47.in 'collect' app/helpers/journals_helper.rb.47.in 'collect' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues_ontroller.rb.102.in 'show' /usr/lib/ruby/1.8/phusion_passenger/abtract_request_handler.rb.92.in 'process_request' /usr/lib/ruby/1.8/phusion_passenger/abtract_request_handler.rb.92.in 'process_request' /usr/lib/ruby/1.8/phusion_passenger/abtract_server.rb.352.in 'mani_loop' /usr/lib/ruby/1.8/phusion_passenger/abtract_server.rb.352.in 'istar_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abtract_server.rb.		When attempting to show certain issues the following backtrace is printed in the log:			
Processing IssuesController/Ishow (for 192.168.10.32 at 2011-09-23 12:38:23) [GET] Parameters: ("action"=>"show", "d"=>"942", "controller"=>"issues") Rendering template Within Iayouts/base Rendering Issues/show.html ActionView::TemplateError (undefined method 'name' for nil:NilClass) on line #2 of app/views/issues/_history.rhtml: 1: e% for journal in journals %> 2: e%= render_journal issue, journal, tedit_permission => :edit_issue_notes, 3: edit_own_permission => :edit_own_issue_notes %> 4: e%= call_hook(tview_issues_history_journal_bottom, { journal => journal }} %> 5: e% end %> app/helpers/journals_helper.rb.47.in 'each' app/helpers/journals_helper.rb.47.in 'collect' app/helpers/journals_helper.rb.47.in 'collect' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'render_journal_details' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/helpers/journals_helper.rb.47.in 'soulect' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues/_history.rhtml:1:in 'each' app/iews/issues_ontroller.rb.102.in 'show' /usr/lib/ruby/1.8/phusion_passenger/abtract_request_handler.rb.92.in 'process_request' /usr/lib/ruby/1.8/phusion_passenger/abtract_request_handler.rb.92.in 'process_request' /usr/lib/ruby/1.8/phusion_passenger/abtract_server.rb.352.in 'mani_loop' /usr/lib/ruby/1.8/phusion_passenger/abtract_server.rb.352.in 'istar_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abtract_server.rb.					
Parameters: ("action"=>"show", "id"=>"942", "controller"=>"issues") Rendering issues/show.rhtml ActionView::TemplateError (undefined method 'name' for nil:NilClass) on line #2 of app/views/issues/.history.rhtml: 1: e-% for journal in journals %> 2: e%= render_journals issue, journal, redit_permission => :edit_issue_notes, 3: iedit_own_permission => :edit_own_issue_notes %> 4: e%= call_hook(view_issues_history_journal_bottom, { journal => journal})) %> 5: e%= end%> app/helpers/journals_helper.rb.48:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'reach' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/helpers/journals_helper.rb.47:in 'render_journal_details' app/views/issues/_history.rhtml:2:in '_run_rhtml_app47views47?issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in '_run_rhtml_app47views47?issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues_oontroller.rb:102:in 'show' app/controllers/issues_controller.rb:102:in 'show' app/controllers/issues_controller.rb:102:in 'show' app/controllers/issues_oontroller.rb:102:in 'show' app/iobr/18/phusion_passenger/iali/application_spawmer.rb:354:in 'handle_spawm_application' /usr/lib/ruby/1.8/phusion_passenger/iali/application_spawmer.rb:354:in 'handle_spawm_application' /usr/lib/ruby/1.8/phusion_passenger/iali/application_spawmer.rb:354:in 'handle_spawm_application' /usr/lib/ruby/1.8/phusion_passenger/iali/application_spawmer.rb:354:in 'handle_spawm_application' /usr/lib/ruby/1.8/phusion_passenger/iali/applica					
Rendering template within layouts/base         Rendering issues/show.rhtml         ActionView::TemplateError (undefined method 'name' for nil:NilClass) on line #2 of app/views/issues/. history.rhtml:       1: <% of journal in journals %>       2: <%= render: journal issue, journal, .edit_permission => :edit_issue_notes,       3: iedit_own_permission => :edit_own_issue_notes %>       4: <%= call_hook(:view_issues_history_journal_bottom, { journal => journal}) %>       5: <% end %>          app/helpers/journals_helper.rb:48:in 'render_journal_details'         app/helpers/journals_helper.rb:47:in 'cender'         app/helpers/journals_helper.rb:47:in 'cender'         app/helpers/journals_helper.rb:47:in 'cender_journal_details'         app/helpers/journals_helper.rb:47:in 'render_journal_details'         app/helpers/journals_helper.rb:47:in 'render_journal_details'         app/helpers/journals_helper.rb:47:in 'render_journal_details'         app/helpers/journals_helper.rb:47:in 'render_journal_details'         app/helpers/journals_helper.rb:20:in 'render_journal_details'         app/views/issues/_history.rhtml:2:in         "_rurrhtml_app47views47.issues47_history46rhtml_locals_history_issue_journals_object'         app/views/issues/_history.rhtml:2:in         "_rurrhtml_app47views47.issues47_history46rhtml_locals_history_issue_journals_object'         app/views/issues/_history.rhtml:1:in         "_rurrhtml_app47views47.issues47_history46rhtml_locals_history_issue_journals_object'         app/views/issues_controller.rb:102:in 'show'         app/views/issues_controller.rb:102:in 'show'         app/views/issues_controller.rb:102:in 'show'         app/views/issues_controller.rb:102:in 'show'         app/views/issues_controller.rb:102:in 'show'         app/views/issues_controller.rb:102:in 'show'         app/views/issues_controller.rb:101:in 'show'         /usr/lib/ruby/1.8/phusion					
ActionView::TemplateError (undefined method 'name' for nil:NilClass) on line #2 of app/views/issues/_history.rhtmt:         1: <% for journal in journals %>         2: <%= render_journal issue, journal, ;edit_permission => :edit_issue_notes,         3: :edit_own_permission => :edit_own_issue_notes %>         4: <%= call_hook(:view_issues_history_journal_bottom, { journal => journal }) %>         5: <% end %>         app/helpers/journals_helper.rb:48:in 'render_journal_details'         app/helpers/journals_helper.rb:47:in 'collect'         app/helpers/journals_helper.rb:47:in 'collect'         app/helpers/journals_helper.rb:47:in 'collect'         app/helpers/journals_helper.rb:47:in 'collect'         app/helpers/journals_helper.rb:47:in 'collect'         app/helpers/journals_helper.rb:47:in 'collect'         app/helpers/journals_helper.rb:29:in 'render_journal_details'         app/helpers/journals_helper.rb:29:in 'render_journal'         app/views/issues/_history.rhtml:1:in         '_run_rhtml_app47views47;suse47_history46rhtml_locals_history_issue_journals_object'         app/views/issues/_history.rhtml:1:in         '_run_rhtml_app47views47;suse47_history46rhtml_locals_history_issue_journals_object'         app/views/issues/_history.rhtml:1:in         '_run_rhtml_app47views47;suse47_history46rhtml_locals_history_issue_journals_object'         app/views/issues_ontroller.rb:10:in 'show'         app/views/issues_controlle					
ActionTwest:TemplateError (undefined method 'name' for nii:NiiClass) on line #2 of app/views/issues/_history.rhtml: 1: -:% for journal in journals %> 2: <%= render_journal issue, journal, redit_permission => :edit_issue_notes, 3: :edit_own_permission => :edit_own_issue_notes %> 4: <%= call_hook(:view_issues_history_journal_bottom, {:journal => journal}) %> 5: <% end %> app/helpers/journals_helper.rb:48:in 'render_journal_details' app/helpers/journals_helper.rb:47:in 'cedch' app/helpers/journals_helper.rb:47:in 'cedct' app/helpers/journals_helper.rb:47:in 'render_journal_details' app/helpers/journals_helper.rb:47:in 'render_journal_details' app/helpers/journals_helper.rb:47:in 'render_journal_details' app/views/issues/_history.rhtml:2:in '_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in 'each' app/views/issues/_history.rhtml:1:in 'each' app/views/issues/_outroller.rb:102:in 'show' /usr/lib/ruby/1.8/phusion_passenger/ralk/request_handler.rb:92:in 'process_request' /usr/lib/ruby/1.8/phusion_passenger/ralk/request_handler.rb:92:in 'process_request' /usr/lib/ruby/1.8/phusion_passenger/ralk/request_handler.rb:38:in 'handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/ralk/rapplication_spawner.rb:354:in 'handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in '_aend_' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in '_isend_' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in '_isend_' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in '_m					
<pre>app/views/issues/_history.rhtml: 1: &lt;% for journal in journals x&gt;&gt; 2: &lt;%= render_journal issue, journal, iedit_permission =&gt; :edit_issue_notes, 3: =edit_own_permission =&gt; :edit_own_issue_notes %&gt; 4: &lt;%= call_hook(:view_issues_history_journal_bottom, { :journal =&gt; journal })) %&gt; 5: &lt;% end %&gt; app/helpers/journals_helper.rb:48:in `render_journal_details' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `render_journal_details' app/helpers/journals_helper.rb:47:in `render_journal_details' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/ontroller.rb:101:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/raitz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/raitz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.</pre>		Rendering issues/show.rhtml			
<pre>app/views/issues/_history.rhtml: 1: &lt;% for journal in journals x&gt;&gt; 2: &lt;%= render_journal issue, journal, iedit_permission =&gt; :edit_issue_notes, 3: =edit_own_permission =&gt; :edit_own_issue_notes %&gt; 4: &lt;%= call_hook(:view_issues_history_journal_bottom, { :journal =&gt; journal })) %&gt; 5: &lt;% end %&gt; app/helpers/journals_helper.rb:48:in `render_journal_details' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `render_journal_details' app/helpers/journals_helper.rb:47:in `render_journal_details' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/ontroller.rb:101:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/raitz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/raitz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.</pre>					
<pre>1: &lt;% for journal in journals %&gt; 2: &lt;%= render_journal issue, journal, :edit_permission =&gt; :edit_issue_notes, 3: :edit_own_permission =&gt; :edit_own_issue_notes %&gt; 4: &lt;%= call_hook(:view_issues_history_journal_bottom, { ;journal =&gt; journal }) %&gt; 5: &lt;% end %&gt; app/helpers/journals_helper.rb:48:in `render_journal_details' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:29:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal' app/views/issues/_history.rhtml:1:in `curu_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `curu_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `curu_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rtml:1:in `curu_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml/95.in `run_drenty_apt7views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml/95.in `run_drenty_apt7views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues_ontroller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' /usr/lib/ruby/1.8/phusion_passenger/abstract_equest_handler.rb:23:in `rand_request_handler' /usr/lib/ruby/1.8/phusion_passenger/abstract_erver.rb:352:in `randle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `randle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract</pre>					
<pre>2: &lt;%=render_journal issue, journal, iedit_permission =&gt; :edit_issue_notes, 3: :edit_own_permission =&gt; :edit_own_issue_notes %&gt; 4: &lt;%= call_hook(:view_issues_history_journal_bottom, { :journal =&gt; journal }) %&gt; 5: &lt;% end %&gt; app/helpers/journals_helper.rb:48:in 'render_journal_details' app/helpers/journals_helper.rb:47:in 'cach' app/helpers/journals_helper.rb:47:in 'collect' app/helpers/journals_helper.rb:47:in 'render_journal_details' app/helpers/journals_helper.rb:47:in 'render_journal_details' app/helpers/journals_helper.rb:29:in 'render_journal_details' app/helpers/journals_helper.rb:29:in 'render_journal' app/views/issues/_history.rhtml:2:in '_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in '_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in '_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues_controller.rb:102:in 'show' app/controllers/issues_controller.rb:101:in 'show' /usr/lib/ruby/1.8/phusion_passenger/rait/application_spawner.rb:47.88:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rait/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/raitz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/raitz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start'</pre>					
<pre>3: :edit_own_permission =&gt; :edit_own_issue_notes %&gt; 4: :&lt;%= call_hook(:view_issues_history_journal_bottom, { :journal =&gt; journal }) %&gt; 5: &lt;% end %&gt; app/helpers/journals_helper.rb:48:in `render_journal_details' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:42:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_how.rhtml:95:in `run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:101:in `show' Ausrillb/ruby/1.8/phusion_passenger/abtract_request_handler.rb:220:in `main_loop' /usrillb/ruby/1.8/phusion_passenger/allz/application_spawner.rb:358:in `handle_spawn_application' /usrillb/ruby/1.8/phusion_passenger/allz/application_spawner.rb:358:in `handle_spawn_application' /usrillb/ruby/1.8/phusion_passenger/abtract_server.rb:196:in `start_synchronously' /usrillb/ruby/1.8/phusion_passenger/abtract_server.rb:196:in `start'</pre>			dit pormionion s odit ir		
<pre>4: &lt;%= call_hook(:view_issues_history_journal_bottom, { ijournal =&gt; journal }) %&gt; 5: &lt;% end %&gt; app/helpers/journals_helper.rb:48:in `render_journal_details' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `ach' app/views/issues_ocntroller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' //usr/lib/ruby/1.8/phusion_passenger/rak/request_handler.rb:92:in `process_request' //usr/lib/ruby/1.8/phusion_passenger/rak/request_handler.rb:92:in `iman_loop' //usr/lib/ruby/1.8/phusion_passenger/rail/application_spawmer.rb:358:in `handle_spawn_application' //usr/lib/ruby/1.8/phusion_passenger/rail/application_spawmer.rb:358:in `handle_spawn_application' //usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `iman_loop' //usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:358:in `handle_spawn_application' //usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `iman_loop' //usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `iman_details' //usr/lib/ruby/1.8/phusion_passenger/abstract_server</pre>					
5: <% end %> app/helpers/journals_helper.rb:48:in 'render_journal_details' app/helpers/journals_helper.rb:47:in 'collect' app/helpers/journals_helper.rb:47:in 'render_journal_details' app/helpers/journals_helper.rb:46:in 'render_journal_details' app/helpers/journals_helper.rb:46:in 'render_journal_details' app/helpers/journals_helper.rb:29:in 'render_journal_details' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/ontrollers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' (usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:355:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:355:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:352:in `main_loop' /usr/lib/ruby/1.8/p				-	
app/helpers/journals_helper.rb:48:in `render_journal_details' app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `render_journal_details' app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal_details' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_ontroller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' (usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:166:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'			ງວັດເກລ_ວັດແດກ, ໂ.ງວັດເກລ		
app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/views/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:352:in `_asend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in ``asend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in ``asend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in ``asend'					
app/helpers/journals_helper.rb:47:in `each' app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/views/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/rali/application_spawner.rb:352:in `_asend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in ``asend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in ``asend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in ``asend'		app/helpers/iournals_helper.rb:48:in `re	ender iournal details'		
app/helpers/journals_helper.rb:47:in `collect' app/helpers/journals_helper.rb:47:in `render_journal_details' app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `each' app/views/issues/history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/how.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/ralz/application_spawner.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/raliz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/raliz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/raliz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'					
<pre>app/helpers/journals_helper.rb:47:in `render_journal_details' app/helpers/journals_helper.rb:48:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/chow.rhtml:95:in `run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_s</pre>					
<pre>app/helpers/journals_helper.rb:46:in `render_journal_details' app/helpers/journals_helper.rb:29:in `render_journal' app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' (usr/lib/ruby/1.8/phusion_passenger/raitz/application_spawner.rb:2107:in `main_loop' /usr/lib/ruby1.8/phusion_passenger/raitz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby1.8/phusion_passenger/raitz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby1.8/phusion_passenger/raitz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby1.8/phusion_passenger/raitz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby1.8/phusion_passenger/raitz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby1.8/phusion_passenger/raitz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby1.8/phusion_passenger/raitz/application_spawner.rb:352:in `handle_spawn_application' /usr/lib/ruby1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby1.8/phusion_passenger/abstract_server.rb:352:in `istart_synchronously' /usr/lib/ruby1.8/phusion_passenger/abstract_server.rb:163:in `start'</pre>					
app/views/issues/_history.rhtml:2:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:102:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:354:in `handle_spawn_application'					
<ul> <li>`_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in</li> <li>`_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/_history.rhtml:1:in</li> <li>`_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show'</li> <li>/usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:207:in `main_loop'</li> <li>/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler'</li> <li>/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application'</li> <li>/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send'</li> <li>/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send'</li> <li>/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'</li> <li>/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'</li> </ul>		app/helpers/journals_helper.rb:29:in `render_journal'			
app/views/issues/_history.rhtml:1:in `each' app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_isend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_isend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_isend' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'		app/views/issues/_history.rhtml:2:in			
<pre>app/views/issues/_history.rhtml:1:in `_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/ralz/application_spawner.rb:378:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/ralz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `_send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'</pre>		`_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object'			
`_run_rhtml_app47views47issues47_history46rhtml_locals_history_issue_journals_object' app/views/issues/show.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'		app/views/issues/_history.rhtml:1:in `ea	ach'		
app/views/issues/show.rhtml:95:in `_run_rhtml_app47views47issues47show46rhtml' app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'		app/views/issues/_history.rhtml:1:in			
app/controllers/issues_controller.rb:102:in `show' app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'		`_run_rhtml_app47views47issues47_hist	ory46rhtml_locals_histor	y_issue_journals_object'	
app/controllers/issues_controller.rb:101:in `show' /usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'		app/views/issues/show.rhtml:95:in`_ru	in_rhtml_app47views47is	ssues47show46rhtml'	
/usr/lib/ruby/1.8/phusion_passenger/rack/request_handler.rb:92:in `process_request' /usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'		app/controllers/issues_controller.rb:102	2:in `show'		
/usr/lib/ruby/1.8/phusion_passenger/abstract_request_handler.rb:207:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'		–			
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:418:in `start_request_handler' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'			· _		
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:358:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'			_ · _	—	
/usr/lib/ruby/1.8/phusion_passenger/utils.rb:184:in `safe_fork' /usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'				_ · _	
/usr/lib/ruby/1.8/phusion_passenger/railz/application_spawner.rb:354:in `handle_spawn_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'				b:358:in `handle_spawn_application'	
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'					
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'			•• =•		
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously' /usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'					
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:163:in `start'					
/usr/iib/ruby/r.o/priusion_passenger/raiiz/application_spawner.rb:213:In_start					
		/usi/iib/iuby/i.o/prusion_passenger/ra	nz/application_spawner.r	D.213.III Start	

/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:262:in `spawn_rails_application' /usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:126:in `lookup_or_add'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:256:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:80:in `synchronize'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:255:in `spawn_rails_application'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:154:in `spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/spawn_manager.rb:287:in `handle_spawn_application'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `send'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:352:in `main_loop'
/usr/lib/ruby/1.8/phusion_passenger/abstract_server.rb:196:in `start_synchronously'
/usr/lib/phusion_passenger/passenger-spawn-server:61
Rendering /var/chiliproject-git/public/500.html (500 Internal Server Error)
Here are two DB entries for a working (id=943) and not working (id=942) issue in case there is some problem
with the DB:
<pre></pre>
id tracker_id project_id due_date category_id status_id assigned_to_id priority_id
fixed_version_id author_id lock_version created_on updated_on start_date
done_ratio estimated_hours parent_id root_id lft rgt
942 2 4 2011-09-30 NULL 2 5 5 NULL 5
13 2011-08-19 17:25:08 2011-09-23 12:39:23 2011-08-19 20 NULL
931 931 6 7
943 5 4 NULL NULL 5 2 3 NULL 2
5 2011-08-22 11:49:45 2011-09-23 13:31:06 2011-08-22 0 NULL
NULL 943 1 2
The issues come from a recent migration from trac to chiliproject.
Please let me know if you need further info to analyze the problem.

## History

### 2011-09-23 05:20 pm - Chris Dähn

...for me too, didn't had this issue with 2.1.1 - then upgraded to 2.2.0 on wednesday and since then a few of my tickets produce the above error on viewing -> but NOT when editing \*wonder\*

Any hints are appreciated.

## 2011-09-28 06:41 am - Marcin Garski

I've got this same problem. Any ideas?

## 2011-10-06 09:22 pm - Felix Schäfer

Chris Dähn wrote:

> ...for me too, didn't had this issue with 2.1.1 - then upgraded to 2.2.0 on wednesday and since then a few of my tickets produce the above error on viewing -> but NOT when editing \*wonder\*

That's probably a problem with the journals, though I also noticed the non-working issue has a parent. Anyway, the journals/history is one part that's shown on the issue view but not on the edit view.

Can you see to provide the entries of the @journals@ table that correspond to the non-working issue.

(I also had a look at the diff between 2.1.1 and 2.2.0 and honestly can't find anything, you sure you run all migrations correctly, or that you don't have a plugin hooking into the issue view that wreaks some havoc?)

#### 2011-10-07 08:31 am - Chris Dähn

- File issue\_640\_debug.txt added

Hi,

I've grabbed one problem issue and pasted it's issue table and journals table entry into a text file (see attached file).

The internal errors even occur without any thirdparty plugins.

Hope it helps a bit.

ciao, Chris

#### 2011-10-07 08:40 am - Felix Schäfer

One thought that crossed my mind: do you happen to have deleted users at some point, either because you had a Redmine version that allowed user deletion or because you toyed with the DB?

## 2011-10-07 08:49 am - Chris Dähn

I checked that:

All users from id 1 up to 14 are still existing, like in Trac before. There was no Redmine installation using this database, nor did anyone modify the database directly (because it's a production system and everybody get's his hands cut off when touching it) ;-)

ciao,

Chris

### 2011-10-14 08:07 am - Chris Dähn

Hi,

are there any news or hints how to process further?

This bug is extremely annoying in daily use and it's very disappointing to get comments "Hey, why can't I read my tickets in ChiliProject like years before in Trac?".

If I can suport the debugging with further infos or test data, don't hesitate to ask me for it.

ciao,

Chris

#### 2011-10-14 08:28 am - Felix Schäfer

Chris Dähn wrote:

> If I can suport the debugging with further infos or test data, don't hesitate to ask me for it.

I haven't gotten around to looking into your data, sorry.

I understand your frustration, but it's also very hard for us to debug problems we can't reproduce as it is "asynchronous" and I have to "get back into the issue" each time, which is pretty time consuming.

## 2011-10-14 08:38 am - Chris Dähn

Hi Felix,

I understand your situation, of course. Thus my question for supporting you - maybe you can give me a hint how I can ran some debugging myself - or provide me some links for that.

Further I'll try to learn Ruby to better get the ChiliProject system up running (like before in Trac, where I was used to patch plugins etc. just to keep the system running).

And - even if I currently have very less spare time - I'm really interested and motivated to support the ChiliProject team/project - e.g. by creating some help and documentation and some information sources for beginners/users like me :-)

So I hope to be able to support you with patches in the near future.

ciao, Chris

#### 2011-10-14 06:28 pm - Eric Davis

It might also be something other than a user. All of these fields have a name attribute, any one of them being deleted might cause this error (though it shouldn't).

- \* custom field
- \* priority (enumeration)
- \* issue category
- \* issue status
- \* tracker
- \* version

## 2011-10-14 07:10 pm - Chris Dähn

Ok, that's a point which I can check myself easily...

Thanks for the hint!

ciao, Chris

## 2011-10-17 02:12 pm - Chris Dähn

Hi,

I checked the custom fields and found some deleted ones - after re-inserting them from a backup, all tickets where usable again without errors!

Thanks for your hint Eric!

So this ticket can be marked as \*[SOLVED]\* :-)

ciao, Chris

## 2011-10-17 03:47 pm - Felix Schäfer

- Target version set to 2.4.0

- Subject changed from internal error when trying to access some issues to internal error on journals for deleted custom fields

- Category changed from Issue tracking to Journals / History

#### Chris Dähn wrote:

> I checked the custom fields and found some deleted ones - after re-inserting them from a backup, all tickets where usable again without errors!

- > Thanks for your hint Eric!
- >

> So this ticket can be marked as \*[SOLVED]\* :-)

That's nice to hear, but it doesn't solve the problem, only your symptoms :-) Renaming the issue accordingly, and thanks for the feedback.

## 2011-10-17 10:33 pm - Chris Dähn

Felix Schäfer wrote:

> That's nice to hear, but it doesn't solve the problem, only your symptoms :-) Renaming the issue accordingly, and thanks for the feedback.

Agree to that: Just throwing an internal error isn't the preferred behaviour - there should be a fall back handling missing custom fields more transparently.

Further I deleted the custom fields, because they were unneeded and are replaced by other ones - so my current solution is just a dirty workaround.

But: Now the debugging should be much more easier :-)

I'll ask Gunter to rename the issue.

ciao, Chris

# 2011-10-18 04:59 am - Felix Schäfer

Chris Dähn wrote:

> Agree to that: Just throwing an internal error isn't the preferred behaviour - there should be a fall back handling missing custom fields more transparently.

>

> Further I deleted the custom fields, because they were unneeded and are replaced by other ones - so my current solution is just a dirty workaround.

## Agreed.

> I'll ask Gunter to rename the issue.

Already done :-)

## 2011-10-29 04:33 pm - Felix Schäfer

Pull request to avoid erroring out on the history view with deleted custom fields ist at https://github.com/chiliproject/chiliproject/pull/117

#### 2011-10-29 04:34 pm - Felix Schäfer

- Status changed from Open to Ready for review

### 2011-10-29 04:45 pm - Holger Just

- Assignee set to Felix Schäfer

- Status changed from Ready for review to Closed

# Files

issue\_640\_debug.txt

4.1 kB 2011-10-07

Chris Dähn