ChiliProject - Bug # 819: RAILS_ENV is not properly set if running under thin

Status:	Closed	Priority:	Normal
Author:	Holger Just	Category:	Libraries
Created:	2012-01-05	Assignee:	Holger Just
Updated:	2012-01-06	Due date:	

Remote issue URL:

Affected version: 2.6.0

Description: With the @config.ru@ introduced in #789 thin starts Chili as a Rack app and consequently only sets

@RACK_ENV@ instead of @RAILS_ENV@. This leads to ChiliProject starting in the default development

mode.

Associated revisions

2010-08-04 03:17 am - Eric Davis

Added css classes to the HTML body based on the theme, controller, and action. #819

 $git-svn-id: svn+ssh://rubyforge.org/var/svn/redmine/trunk@3911 \ e93f8b46-1217-0410-a6f0-8f06a7374b811 \ e93f8b46-1217-0410-a6f0-8f06a734b811 \ e93f8b46-9f06a734b811 \ e93f8b46-9f06a754b811 \ e93f8b46-9f06a754b811 \ e93f8b46-9f06a754b811 \ e93f8b46-9f06a754b811 \ e93f8b46-9f06a754b81$

2012-01-06 12:56 am - Holger Just

[#819] set RAILS_ENV if only RACK_ENV is provided

History

2012-01-06 12:07 am - Holger Just

- Status changed from Open to Closed

Fixed it in commit:4c0b195. Thanks to Ben Cooksley for finding the bug and helping me fix it.

Now thinking about whether this justifies a patch release or not. Any thoughts?

2020-10-25